## **EUROPEAN PATENT OFFICE**

## **Patent Abstracts of Japan**

: 03112486 PUBLICATION NUMBER

ATECGGGTCACGGCGCCCCAACCGTCCTCCTGCTGCTCT 14-05-91

D G G G G G R F G G C C C T G R C C F A G R C C T G G G C C G G C T C C C A PUBLICATION DATE 

22-09-89 APPLICATION DATE CGCGGGGAGCCCCGCTTCATCGCACTGGGCTACGTGGACG 01247696 APPLICATION NUMBER ACACCCAGITCGTGAGGTTCGACAGCGACGCCGCGAGTCC

CAGCACGCAGCCCCGGGCGCCATGGATAGAGCAGGAGGGC

APPLICANT: OLYMPUS OPTICAL CO LTD; CCGCAGTATTGGGACCGGAACACACAGATCTTCAAGACCA

ACACACAGACTTACCGAGAGAGCCTGCGGAACCTGCGCGG

INVENTOR: TAKIGUCHI MASAFUMI; CTACTACAACCAGAGCGAGGCCGGGTCTCACATCATCCAG

AGGATGTATGGCTGCGACCTGGGGCCCCGACGGGCGCCCTCC : C12N 15/12 C07H 21/04 C12N 5/10 TCCGCGGGCATGACCAGTCCGCCTACGACGGCAAGGATTA INT.CL.

CATCGCCCTGAACGAGGACCTGAGCTCCTGGACCGCGGCG : HLA-B35 GENE AND DNA PROBE, AND TITLE

CACACCGCGGCTGAGRTCACCCAGCGCAAGTGGGAGGCGG TRANSFORMANT CELL

ABSTRACT :

PURPOSE: To provide the title gene having exon expressed by a specific base sequence, useful for the research, assay and diagnosis of HLA-B35 alloantigen.

CONSTITUTION: The objective HLA-B35 gene having exon expressed by a base sequence of the formula (where the description of bases from 521th to 1089th are omitted) made up of 1089 bases (A is adenine; C is cytosine; G is guanine; T is thymine). When labelled with a marker, cDNA coinciding with part of the base sequence of the present HLA-B35 gene can be applied to DNA probe to be used for DNA typing. Said marker is e.g. peroxidase, iron porphyrin derivative. Moreover, since the HLA-B35 gene is capable of coding HLA-B35 antigen, transformant cells capable of manifesting HLA-B35 antigen can be obtained by transducing this gene into eucaryote cells.

COPYRIGHT: (C) JPO